Herpetologica, 58(4), 2002, 509–515
© 2002 by The Herpetologists' League, Inc.

INDEX TO SCIENTIFIC NAMES

HERPETOLOGICA

Volume 58 December 2002

Abronia frosti 324
mixteca 266
Acer grandifolium 157
Achalinus 15
rufescens 11, 17
spinalis 11
Acheta domestica 77, 88
Acrantophis dumerili 9, 17
Acrochordus 14–15, 274
arafurae 179, 432
javanicus 17, 273
Adelphicos quadrivirgatus 495
Agelaius phoeniceus 71
Agkistrodon bilineatus 273
contortrix 273, 433
contortrix pictigaster 432
piscivorus 273, 310, 430–431, 433
piscivorus conanti 432
piscivorus leucostoma 432
piscivorus piscivorus 432
Ahaetulla prasina 273
Allobates 293
Alosa aestivalis 433
Alsophis cantherigerus 272
portoricensis 272
portoricensis richardi 432
Ambystoma gracile 156–164
jeffersonianum 347, 350–352, 423
laterale 346–347, 349–352, 423
macrodactylum 156–164
maculatum 346–347, 350–352, 422–427
opacum 347, 350–352, 422–427
talpoideum 352, 423, 427
tigrinum 347, 349–352
tremblayi 423
Amphiesma stolata 272
Amphisbaena darwini 13
fuliginosa 14
Aneides aeneus 372, 378
ferreus 371–372, 379
flavipunctatus 372, 377–378
hardii 372, 378, 380
lugubris 372, 378
vagrans 371–372, 375–379
Anguis fragilis 320, 412
Anilius 1, 12–15
scytale 2, 4–5, 17
Anisoptera costata 503
glabra 503
Anolis aeneus 93
carolinensis 79, 83, 87–89, 92–93
cristatellus 364–370
naufragus 495
sagrei 87–88, 90, 92–93, 382–384, 389, 391–392
sericeus 495
Anomalepis 13
aspinosus 12
Anomochilus 14–15
Anotheca spinosa 203
Antillophis parvifrons 272
Aplopeltura boa 17
Arizona elegans 272, 432
Aromobates 301
Arrhyton callilaemum 272
exiguum 272
funereus 272
landoi 272
taeniatum 272
Artemia franciscana 423
Arthrosaura reticulata 490
Aspidelaps scutatus 413
Aspidites 1
melanocephalus 10, 17
Astyanax scabripinnis 433
Atelopus arthuri 229
bomolochos 230–231, 236, 251
carbonerensis 230–231, 236, 252
carrikeri 239–240
chrysocorallus 230–231, 236
coynei 229
exiguus 229, 235, 240
flavescens 249
***guanujo* 229–230,** 231–236, 240–249
ignescens 229–230, 235–236, 239–240, 249, 252
leoperezii 239
longirostris 229
lynchi 229
mindoensis 229
nanay 229, 232–233, **234**–249
peruensis 240
sorianoi 229–231, 236, 252
sp. 230, 236, 252
Atheris squamigera 273
Atractaspis corpulenta 2, 15, 273
engaddensis 2, 15
Atractus trilineatus 273–274
Atropoides nummifer 273
Azorella compacta 219
Barisia ***herrerae* 315,** 316–320, 322–324, 326
imbricata 313, 320, 322–323, 419
imbricata ciliaris 316, 324, 326
imbricata jonesi 316, 326
imbricata imbricata 316, 324, 326
imbricata planifrons 316, 326
levicollis 313, 316, 324, 326
monticola 408, 415
rudicollis 313–316, 319–324, 326
Batrachophrynus brachydactylus 50
macrostomus 50

Batrachoseps 194
attenuatus 165–169
gabrieli 166
major 166
nigriventris 166
Bitis arietans 273
Blanus cinereus 13
Boa constrictor 2, 9, 17, 273
Bogertophis subocularis 272
Boiga cyanea 273
cynodon 273
dendrophila 273
drapiezii 273
irregularis 432–433
jaspida 273
multimaculata 273
nigriceps 273
Bolitoglossa 205
Bolyeria multicarinata 17
multocarinata 10
Bothriopsis 304
Bothrops alcatraz 303–**304**, 305–311
atrox 273
insularis 303–304, 306–307, 309–311
jararaca 303–312, 432
jararacussu 304
Bufo 300
americanus 432
arborescandens 454
boreas 354–356, 361
bufo 102, 105, 137
caeruleostictus 454
calamita 137
canorus 354–356, 361
cavifrons 203
corynetes 454
***cristinae* 453**–460
fastidiosus 461
iserni 454
justinianoi 454
macrotis 503
margaritifera 453
occidentalis 266
parachemis 432
parvus 503
quechua 454
spiculatus 203
spp. 358–359, 361
typhonius 453, 460–461
variegatus 454
woodhousii 432
Bungarus candidus 503
fasciatus 272
Calabaria 1, 16
reinhardti 9, 17
Calamaria gervasii 273
Callisaurus 285
Calloselasma rhodostoma 273
Candoia 1
aspera 9, 17
Carphophis 271
amoena 273
Casarea 15
dussumieri 10, 17
Causus rhombeatus 273
Cemophora coccinea 272
Cerastes vipera 273
Charina bottae 272
Chilomeniscus cinctus 18–19, 22–28
ephippicus 28
punctatissimus 18–19, 23–28
savagei 18–19, 23–28, 31
stramineus 18–19, 23–29
stramineus esterensis 23–24, 28
stramineus fasciatus 28
Chionactis 25
Chironius carinatus 272
cinnamomeus 272
multiventris 272
sp. 272
Chironomus 132
Chlonophis kirtlandii 272
Chrysopelea ornata 273
Citellus beechyi 432
Clelia rustica 272
Coleonyx variegatus 82
Colostethus 249, 299, 301
bocagei 253
cevallosi 252–253, 258–259
exasperatus 252–253, 258–259
fascianiger 252–253, 258–260
fuliginosus 253
kingsburyi 253
lehmanni 252–253, 258–260
palmatus 253, 258
picachos 253, 258
pulchellus 253
ramosi 252–253, 258–260
***saltuarius* 253**–254, 256–258, 260
sauli 253, 260
shuar 253
subpunctatus 253
Coluber constrictor 273
fasciolatus 1
flagellum piceus 432
hippocrepis 432
ventromaculatus 272
Corallus enhydris 9, 17
Cordylus giganteus 408, 412
Crocodylus siamensis 498
Crossodactylus 462
Crotalus 430
adamanteus 273, 432
atrox 273, 432–433
catalinensis 273
cerastes 273, 433
cerastes lateralorepens 432
durissus 273
horridus 273, 432–433
lepidus 273
mitchelli 273
mitchelli pyrrhus 432
molossus 273
pusillus 273
ruber 273, 433
scutulatus 273
spp. 433
viridis 273, 432

viridis lutosis 432
willardi 273
Crypyobatrachus evansi 327
Cylindrophis 13–15
maculatus 5, 17
ruffus 1–2, 5–6, 17
Daboia russeli 12
russelii 273
Darlingtonia haetiana 272
Dasypeltis scaber 272
Dendrelaphis caudolineata 272
Dendrobates 293, 299
Desmognathus aeneus 182, 191, 481
folkertsi 471–472, 474, **477**–482
marmoratus 191, 478–479, 481–482
monticola 181–186, 189–192, 378, 479, 481
ochrophaeus 190, 378, 473, 482
ocoee 181–183, 185–186, 188–192, 481
quadramaculata 181–183, 185–192, 471–475, 477–482
quadramaculatus amphileucus 473
wrighti 182, 191
Diadophis 271
punctatus 273
Dibamus 14
Dinodon semicarinatum 273
septentrionalis 501, 503–504
Dipodomys deserti 433
spp. 432
Dipsas albifrons 308
catesbyi 272
Dipsosaurus dorsalis 81
Dipterocarpus costatus 503
Drosophila virilis 166, 423–424
Drymarchon corais 272
Drymoluber dichrous 272
Dryocalamus trivirgatus 273
Elaphe bimaculata 272
climacophora 272
dione 273
flavirufa 272
flavolineata 273
guttata 272
longissima 273, 412
moellendorffi 272
obsoleta 273
quadrivirigata 273
quatuorlineata 273
radiata 273
rufodorsata 273
scalaris 273
schrenckii 273
situla 273
taeniura 273
vulpina 273
Elgaria multicarinata 82
multicarinatus 16
Eleutherodactylus 249
cryophilius 240
gossei 299
pantoni 299
rhodopis 495
verrucipes 495
Emydocephalus annulatus 176
Enhydris boucourti 273
chinensis 273
enhydris 273
jagori 273
plumbea 273
Ensatina eschscholtzii 377–379
Entechinus semicarinatus 272
Entomelas entomelas 320
Epicrates cenchria 9
inornatus 432
striatus 273
Epipedobates femoralis 293, 295, 297, 299, 303
flavopictus 293, 295, 297, 299–301, 303
hahneli 293, 295, 297, 299–300, 303
pictus 299
trivittatus 293, 295, 297, 299–300, 303
Erophylla sezekorni 432
Erpeton tentaculum 273
Eryx 16
Eulamprus tympanum 412
Eumeces copei 418–419
fasciatus 82
gilberti 82
laticeps 82
skiltonianus 82
Eunectes murinus 9, 17
Eurycea bislineata 482
Exiliboa 1, 14–15
placata 9, 17
Farancia 271
abacura 273
erytrogramma 273
Fejervarya limnocharis 503
Festuca 415
ortophylla 219
Ficimia streckeri 495
Ficus 389
Fimbrios klossi 11, 17
Flectonotus 327
Formica 373
Fregata magnificens 307–308
Frucifer pardalis 130
Gambusia affinis 104–105, 117
Gastrophryne 107–108, 111, 116
carolinensis 104–106, 109–110, 112–115
olivacea 117
Gastrotheca 327
pseustes 240
Gekko gecko 82
Geophagus brasiliensis 432–433
Geophis semidoliatus 495
Gerrhonotus multicarinatus 16, 82
rudicollis 313, 320
Gloydius sheddaoensis 310
Gonyosoma oxycephalum 272
Gymnophthalmus cryptus 490
speciosus 490
Gyrinophilus porphyriticus 142
Helicops angulatus 272
leopardinus 272
modestus 432–433
Heloderma 13
Hemidactylus flaviviridis 84
garnotii 82–83

mabouia 75–77, 82–84, 308–309
Hemiphractus 327
Herangula spp. 432
Heterodon nasicus gloydi 432
platirhinos 273
simus 273
Hexanematichthys spp. 432
Homalopsus buccata 273
Hopea odorata 503
Hoplodactylus maculatus 408
Hydrodynastes gigas 272, 432
Hyla 108–110, 112–113, 116, 300–301
albomarginata 432
***ameibothalame* 260–261,** 262–269
arborescandens 269
bistincta 260–261, 265, 267–269
calthula 268
cembra 268
charadricola 268
charazani 221
chryses 268
chrysoscelis 105, 117
crassa 261
cuphorbiacea 267, 269
eximia 260, 262, 269
miotympanum 261, 267, 269
plicata 269
regilla 117, 354–361
sabrina 261, 268
squirella 104–107, 111, 114–115
sumichrasti 267
Hylodes ***amnicola* 463**–464, 466–469
asper 469
babax 462, 464, 470
charadranaetes 462, 464, 470
glaber 462, 470
heyeri 462, 464, 470
lateristrigatus 462–464, 469–470
magalhaesi 462, 464, 470
mertensi 462, 470
meridionalis 462–464, 469, 471
nasus 462–463, 469–470
ornatus 463–464, 471
otavioi 463–465, 469–471
perplicatus 463, 465, 471
phyllodes 463, 465, 471
regius 463, 465, 470–471
sazimai 463, 465, 467, 469, 471
uai 463, 465, 469–471
vanzolinii 463, 465, 470–471
Hypnale hypnale 273
Hypsirhynchus ferox 272
Ialtris dorsalis 272
Kaloula pulchra 397
Kentropix striata 490
Lampropeltis calligaster 273
getula 273
mexicanus 273
triangulum 273
Lamprophis fuliginosus 272, 501
Laticauda colubrina 170–173, 176, 178
laticaudata 171
semifasciata 171
Leposoma baturitensis 490
guianensis 490
hexalepis 485–487, 489–491
ioanna 490
nanodactylus 490
oswaldoi 490
parietale 490
percarinatum 490
rugiceps 490
scincoides 490
snethlagae 490
southi 490
Leptodeira annulata 432
Leptophis ahaetulla 272, 274
mexicanus 272
Leptotyphlops dulcis 12
Lerista bougainvillii 413
Liasis albertisi 17
amethistinus 10
Limnonectes kohchangae 503
Lineatriton 197
lineolus 194–195, 198–204
***orchileucos* 194–195, 198–202,** 204
***orchimelas* 194–195, 198–200,** 201–202, 204
Liochlorophis vernalis 273
Liolaemus pictus 408
Liophis miliaris 272, 432
poecilogyrus 272
viridis 272
Loxocemus 1, 14–15
bicolor 8, 17
Lycodon butleri 500–501, 504
capucinus 500–501
***cardamomensis* 499**–504
effraenis 500–502, 504
fasciatus 500–502, 504
laoensis 273, 500–501
ruhstrati 502
subcinctus 498–500, 502–504
Lygosoma laterale 76
Lystrophis dorbingi 272
Mabuya macrorhyncha 308–309
Masticophis 449
flagellum 432
lateralis 273
Mastigodryas bifossatus 272
Megaelosia 462
Melanophidium punctatum 8, 17
Mesaspis 324
Microtus californicus 433
Micruroides euryxanthus 272
Micrurus annellatus 272
corallinus 308–309
diastema 272
Muhlenbergia 415
Mus 444
domesticus 443
musculus 432
Naja kaouthia 276
naja 272
Natrix natrix 1, 7, 14–15, 178
tessellata 13
Nerodia compressicauda 272
cyclopion 272

erythrogaster 272
erythrogaster erythrogaster 432
fasciata 272
harteri 272
rhombifer 272
sipedon 272, 412, 432–433
spp. 432
taxispilota 272
Nivoscincus greeni 408
metallicus 413
microlepidotus 408
ocellatus 413
Nototriton abscondens 206–207, 209
barbouri 206, 209
brodiei 206–207
gamezi 207, 209
guanacaste 206, 209
lignicola 206, 209
limnospectator 206–207, 209
major 206–207
picadoi 207, 209
richardi 209
***saslaya* 205**–209
stuarti 206–207, 209
tapanti 207
Oedipina 194, 203, 205
Oligodon 274
medestus 273
Oncorhynchus aquabonita 356
mykiss 356
mykiss aquabonita 356
Opheodrys aestivus 273
Ophiophagus hannah 272
Ophisaurus apodus 320
Orestias 50
Osornophryne 461
Otostigmus sp. 308
Ovophis okinavensis 310
Oxybelis fulgidus 273
Pareas 1, 15
andersoni 17
carinata 11, 17
hamptoni 17
laevis 17
monticola 11, 17
stanleyi 11
Passerella iliaca 432
Pelobates fuscus 137
Peltophryne 461
Peromyscus leucopus 433
Petrochelidon pyrrhonota 432
Petrosaurus mearnsi 285
thalassinus 285
Phaelanoptilus nuttali 432
Philodryas burmeisteri 272
viridis 272
Philothamnus sp. 273
Phrynosoma 285
Phyllobates 293
Phyllorhynchus 274
decurtatus 273
Physalaemus pustulosus 95, 100, 102
Pituophis melanoleucus 272
Plectrohyla 269
Plethodon 422
albagula 379–380
cinereus 141–143, 145, 149, 151–154, 169, 377–378, 380
dunni 379
glutinosus 141–143, 145, 147, 149, 151–154, 482
jordani 379
kentucki 154
ouachitae 379–380
teyahalee 379
vandykei 372, 379
vehiculum 377–379
Pliocercus bicolor 495
Podarcis sicula 432
Procambarus sp. 104–105
Psammodynastes pulverensis 273
Psammophis condenarus 273
Pseudacris clarkii 117
Pseudechis australis 432
Pseudocerastes persicus 273
Pseudoeurycea 495
Pseudonaja textilis 436–438, 441, 450–451
Pseudotyphlops philippinus 8, 17
Pseustes poecilonotus 272, 274
sp. 272
sulphurus 272
Ptyas korros 272
mucosus 273
Python regius 10, 273
reticulatus 3, 10, 14, 17, 273
sebae 17
Quiscalus quiscula 71
Rana cubitalis 503
muscosa 354–362
pipens 301, 432
sylvatica 115, 119–120, 122
temporaria 105, 137
utricularia 107
vaillanti 432
Rattus norvegicus 432
Regina alleni 272
rigida 272
septemvittata 272
Rhabdophis chrysargus,272
sp. 272
Rhadinaea flavilata 272
Rhamphiophis oxyrhynchus 273
Rhamphophryne 453, 458, 461
ruizi 460
Rhinocheilus lecontei 273
lecontei tessellatus 432
Rhinophis 2, 12
blythi 17
blythii 8
drummondhayi 8, 17
homolepis 17
melanogaster 8
oxyrhynchus 8, 17
philippinus 7–8, 13
phillippinus 1, 13–15, 17
planiceps 1, 8
sanguineus 8, 17
Salmo trutta 131, 356
Salvadora grahami 272

Salvelinus fontinalis 356
frontinalis 142
Sceloporus aeneus 419
bicanthalis 415–420
cautus 289
clarki 277, 279, 281–282, 285–289
exsul 289
formosus 418
grammicus 285, 419
jarrovi 83
mucronatus 419
occidentalis 277–279, 281, 283–289
scalaris 285
undulatus 280–284, 290, 399–400, 403–405
undulatus consobrinus 278–279, 285–289
undulatus couchsi 278
undulatus elongatus 278–279, 285–289
undulatus erythrocheilus 278, 288
undulatus garmani 277–279, 283, 285–289
undulatus hyacinthinus 277–279, 283, 285–289
undulatus tedbrowni 278, 286
undulatus tristichus 277–279, 283, 285–289
undulatus undulatus 277–279, 283, 285–289
undulatus woodi 289
virgatus 277–279, 281, 283–289
virgatus virgatus 289
woodi 277–279, 281–289
Scinax rubra 102
Scincella lateralis 76, 81–83
Seminatrix pygaea 272
Senticolis triaspis 272
Shorea hypochra 503
Sibon sartorii 495
Silybura brevis 7
pulneyensis 7
Sinonatrix annularis 272
Siphlophis pulcher 308–309
Sistrurus 430
catenatus 273, 432
miliarius 131, 273
ravus 273
Sonora 25
Spalerosophis cliffordi 272
Spelerpes cephalicus 199
lineolus 199, 203
Spermophilus tridecemlineatus 432
Sphenodon 13–14
Stefania 328
ackawaio 330, 332–**334,** 335–336, 339–340, 344–345
***ayangannae* 329**–330, 332–334, 337–340, 344–345
coxi 330, 332–333, **336**–340, 344–345
evansi 327, 329–330, 334–336, 339–340, 342, 344–346
ginesi 327, 330, 336, 339, 346
goini 327, 329–330, 335–336, 338–339, 344–346
marahuaquensis 327, 329–330, 334–335, 339, 345
oculosa 327, 330, 336, 339, 344
percristata 327, 329–330, 335–336, 339, 345
riae 327, 329–330, 335, 339
riveroi 327, 330, 336, 338
roraimae 327, 329–330, 333–336, 338–340, 344–346
satelles 327, 330, 336, 339
scalae 327, 329–330, 332–333, 335, 339–340, 342, 344–346
schuberti 327, 330, 336, 339
sp. "A" 338
tamacuarina 327, 329–330, 334–335, 339, 346
woodleyi 327, 329–330, 334–336, 339–340, 344–346
Stipa nardoides 219
Storeria occipitomaculata 272
Strongylura kreffti 432
Sula leucogaster 308
Sus scrofa 430, 432
Sylvilagus floridanus 432
nuttalli 432
Tantilla bairdi 494
bocourti 492
calamarina 492–493
coronata 273, 493
melanocephala 493
moesta 493
morgani 493, 495, 497
planiceps 492–493
robusta 492-**493,** 494–496
rubra 492–495, 497
schistosa 492–497
shawi 492
taeniata 493
Taricha torosa 116
Telescopus sp. 273
Telmatobius affinis halli 31, 34–35, 37–44, 46–49, 52, 210–211, 214, 219–220
albiventris 31–32, 37, 42, 46–48, 52, 222
albiventris albiventris 32–35, 38, 42–45
albiventris globulosus 32–34, 38, 41, 43–45
albiventris parkeri 32–35, 38, 43–45
albiventris punensis 32–34, 38, 43–45
cf. *affinis halli* 219
contrerasi 210
crawfordi 31–32, 34–35, 37–38, 42–48, 52, 222–223
crawfordi crawfordi 33
crawfordi semipalmatus 33
culeus 31–32, 34–35, 37–38, 41–52, 222–224
culeus culeus 33
culeus dispar 32
culeus escomeli 32
culeus exsul 32–33
culeus fluviatilis 32
culeus lacustris 32
dankoi 211, 214, 219–220
fronteriensis 210–**211,** 212–214, 216–219
gigas 221–227
halli 35, 210–212, 219–220
huayra 211, 213, 219–220
marmoratus 31–32, 34, 38–39, 43–44, 47, 50, 52, 212, 220, 222–224, 227
marmoratus angustipes 35
marmoratus gigas 35, 220–223, 228
marmoratus hintoni 32, 35, 222
marmoratus marmoratus 33, 35, 42, 46, 48–49, 227

marmoratus microcephalus 35
marmoratus pseudojelski 35
marmoratus pustulosus 35
marmoratus riparius 35
marmoratus rugosus 35, 227
niger 210, 240
pefauri 212
peruvianus 212
sp. nov. 31, 34–35, 37–39, 41–44, 46–49, 52
zapahuirensis 212
Teretrurus rhodogaster 8, 17
Thamnodynastes strigilis 272
Thamnophis 430
brachystoma 272
butleri 272
chrysocephalus 272
couchi 272
elegans 272
eques 272
marcianus 272
melanogaster 272
mendax 272
ordinoides 272
proximus 272
proximus proximus 432
radix 272
rufipunctatus 272
sauritus 272
sirtalis 12, 178, 272
sirtalis fitchi 432
sirtalis sirtalis 432
sumicrasti 272
Tiliqua nigrolutea 407–408, 410–413
rugosa 368, 413
Trachemys scripta 70, 73
Trachemys scripta elegans 67–68
Trachypogon 489
Tregallasia capito 432
Tretanorhinus nigroluteus 272, 274
Trimeresurus albolabris 273
elegans 273
flavoviridis 273, 412
kanburiensis 273
okinavensis 273
tokarensis 273
Triturus alpestris 131–132, 137
dobrogicus 137
Trogonophis wiegmanni 13
Tropidolaemus wagleri 273
Tropidonophis mairii 432
Tropidophis 1, 15
canus 273
haetianus 10–11, 17, 272
melanurus 2, 11
Tubifex 347
Typhlops diardi 12
hypomethes 273
jamaicensis 273
platycephalus 273
punctatus 12
richardi 273
Ungaliophis 1, 14–15
panamensis 9, 17
Uperolia laevigata 102
Uromacer catesbyi a 272
catesbyi b 272
frenatus 272
Uropeltis ceylanicus 7–8, 14, 17
homolepis 8
liura 8
melanogaster 17
pulneyensis 7, 17
smithii 8, 17
Varanus 13
panoptes 432
Vipera aspis 15, 412
Virginia striatula 272
valeriae 272
Waglerophis merrami 272
Xenobatrachus anorbis 57, 59–60, 66
arfakianus 57, 66
bidens 57, 66
fuscigula 57, 59–60, 66
giganteus 57
huon 57, 59–60, 66
macrops 57, 66
mehelyi 56–60, 63–64, 66
multisica 57, 66
obesus 57, 63
ocellatus 57, 59–60, 66
ophiodon 57, 66
rostratus 56–60, 63–64, 66
schweepstrai 57
schiefenhoeveli 57, 59–60, 66
subcroceus 56–60, 63–64, 66
tumulus 57, 59–60, 63–64, 66
***zweifeli* 57**–61, 63–64
Xenochrophis flavipunctatus 272
piscator 272
punctulatus 272
Xenodermus javanicus 11
Xenodon severus 272
Xenopeltis 1, 14–15
unicolor 6–7, 17
Xenopus laevis 115
Xenorhina 56
arboricola 63
Zaocys carinatus 272
Zootermopsis augusticollis 273

Herpetologica, 58(4), 2002, 516–517
© 2002 by The Herpetologists' League, Inc.

TOPICAL INDEX

HERPETOLOGICA

Volume 58 December 2002

ACTIVITY, 5 spp. of *Ambystoma* (larvae) 346–354.
ACTIVITY SCHEDULES, *Pseudonaja textilis* 436–452.
ADVERTISEMENT CALL, *Hylodes amnicola* 462–471.
AGE ESTIMATION, *Desmognathus monticola*, *D. ocoee*, and *D. quadramaculatus* 181–193.
AGONISTIC BEHAVIOR, *Aneides vagrans* 371–382.
ALLOZYMES, *Sceloporus undulatus* 277–292; snake relationships 270–275; *Telmatobius* (Lake Titicaca Basin) 31–55.
ALLOZYME VARIATION, *Desmognathus folkertsi* and *D. quadramaculatus* 471–484.
ANURAN PREDATION, on *Rana muscosa* (influence on condition and distribution) 354–363.
ARTIFICIAL PONDS, *Ambystoma gracile* and *A. macrodactylum* (larvae) 156–165.
AUTOTOMY, *Hemidactylus mabouia* tails 75–86.
BEHAVIOR, *Batrachoseps attenuatus* 165–170.
BODY SIZE, *Desmognathus quadramaculatus*, *D. monticola*, and *D. ocoee* 181–193; *Trachemys scripta elegans* (effect on survival) 67–74.
BURROW DEFENSE, ambystomatid salamanders 422–429.
CARRION, in snake diets 429–436.
C-BANDING, *Epipedobates* (4 spp.) 293–303.
COMMUNICATION, *Physalaemus pustulosus* 95–103.
COMPETITION, *Ambystoma gracile* and *A. macrodactylum* (larvae) 156–165; ambystomatid salamanders 422–429; *Gastrophryne carolinensis* and *Hyla squirella* (tadpoles) 104–118; *Plethodon cinereus* and *P. glutinosus* 141–155.
CONDITION, *Rana muscosa* (influenced by anuran predation) 354–363.
COURTSHIP, *Laticauda colubrina* 170–180.
CRYPTIC SPECIES, *Desmognathus folkertsi* 471–484.
CYTOGENETICS, *Epipedobates* (4 spp.) 293–303.
DEAR ENEMY, *Anolis sagrei* 382–393.
DEWLAP, *Anolis sagrei* (importance in mating success) 87–94.
DIET, scavenging by snakes 429–436.
DISPLACEMENT EXPERIMENT, *Anolis cristatellus* 364–371.
DISPLAY BEHAVIOR, *Anolis sagrei* dewlap 87–94.
DISTRIBUTION, *Colostethus ramosi* group 252–260.
DIVERSITY, *Stefania* (Mt. Ayanganna, Guyana) 327–346.
EVOLUTION, *Bothrops jararaca* group (Brazil) 303–313.
FECUNDITY, *Triturus alpestris* 131–138.
FEEDING STRATEGIES, snakes 429–436.
FROG PREDATION ON TADPOLES, *Rana muscosa* 354–363.
GENETIC DISTANCES, snake relationships 270–275.
GENETIC VARIATION, *Rana sylvatica* 119–130.
GEOGRAPHIC VARIATION, *Chilomeniscus* (sand snakes) 18–31; *Sceloporus undulatus* 277–292.
GLANDS, rictal glands of some snakes 1–17.
HATCHLING, *Trachemys scripta elegans* 67–74.
HIGH ELEVATION ANURANS, *Rana muscosa* 354–363.
HOMING, *Anolis cristatellus* 364–371.
INTRAGUILD PREDATION, 5 spp. of *Ambystoma* (larvae) 346–354.
INTRASPECIFIC INTERACTIONS, *Aneides vagrans* 371–382.
ISLAND ENDEMICS, *Bothrops jararaca* group (Brazil) 303–313.
JUVENILE COMPETITIVE BOTTLENECK EFFECTS, *Plethodon cinereus* and *P. glutinosus* 141–155.
LIFE HISTORY, *Desmognathus monticola*, *D. ocoee*, and *D. quadramaculatus* 181–193.
LIZARD TAIL, *Hemidactylus mabouia* (physiology during regeneration) 75–86.
MARKING TECHNIQUES, *Triturus alpestris* 131–138.
MATE CHOICE, *Anolis sagrei* 87–94.
MATING, *Laticauda colubrina* 170–180.
MICROHABITAT, 5 spp. of *Ambystoma* (larvae) 346–354.
MICROHABITAT SELECTION, *Pseudonaja textilis* 436–452.
MICROSATELLITE, *Rana sylvatica* 119–130.
MORPHOMETRICS, *Telmatobius* (Lake Titicaca Basin) 31–55.
MULTIENNIAL CYCLE, *Tiliqua nigrolutea* 407–414.
NATURAL HISTORY, *Bothrops jararaca* group (Brazil) 303–313.
NEST MOISTURE, *Sceloporus undulatus* 399–407.
NEST-SITE SELECTION, *Sceloporus undulatus* 399–407.
NEST TEMPERATURE, *Sceloporus undulatus* 399–407.
NEW RECORDS, *Colostethus fascianiger*, *C. lehmanni*, and *C. ramosi* (Colombia) 252–260.
NEW SPECIES, *Atelopus* ***guanujo*** (Ecuador) 230; *Atelopus* ***nanay*** (Ecuador) 234; *Barisia* ***herrerae*** (C Mexico) 315; *Bufo* ***cristinae*** (Colombia) 453; *Colostethus* ***saltuarius*** (Colombia) 253; *Desmognathus* ***folkertsi*** (Georgia, USA) 477; *Hyla* ***ameibothalame*** (Oaxaca, Mexico) 261; *Hylodes* ***amnicola*** (SE Brazil) 463; *Lineatriton* ***orchileucos*** (Oaxaca, Mexico) 202; *Lineatriton* ***orchimelas*** (Vera-

cruz, Mexico) 200; *Lycodon* ***cardamomensis*** (SW Cambodia) 499; *Nototriton* ***saslaya*** (Nicaragua) 205; *Stefania* ***ayangannae*** (Mt. Ayanganna, Guyana) 329; *Tantilla* ***robusta*** (Puebla, Mexico) 493; *Telmatobius* ***fronteriensis*** (N Chile) 211; *Xenobatrachus* ***zweifeli*** (Papua New Guinea) 56–66.
NICHE PARTITIONING, 5 spp. of *Ambystoma* (larvae) 346–354.
NOR, *Epipedobates* (4 spp.) 293–303.
NULL ALLELES, *Telmatobius* (Lake Titicaca Basin) 31–55.
OSTEOLOGY, *Atelopus guanujo* and *A. nanay* 229–252; *Telmatobius fronteriensis* 210–220.
PATTERN CLASS, *Chilomeniscus* (sand snakes) 18–31.
PHENOLOGY, *Ambystoma gracile* and *A. macrodactylum* (larvae) 156–165.
PHYLOGENY, *Sceloporus undulatus* 277–292; snakes 270–275.
PITT-TAG, *Triturus alpestris* 131–138.
POPULATION STRUCTURE, *Rana sylvatica* 119–130.
PREDATION, on tadpoles of *Gastrophryne carolinensis* and *Hyla squirella* 104–118.
PREDATOR AVOIDANCE, 5 spp. of *Ambystoma* (larvae) 346–354.
REDESCRIPTION, *Leposoma hexalepis* 485–491; *Telmatobius marmoratus gigas* 220–228.
REGENERATION, *Hemidactylus mabouia* tails 75–86.
RELATIVE CLUTCH MASS, *Tiliqua nigrolutea* 407–414.
RELATIVE MASS, *Rana muscosa* 354–363.
REPRODUCTION, *Laticauda colubrina* 170–180.
REPRODUCTIVE CYCLE, *Sceloporus bicanthalis* 415–421.
REPRODUCTIVE FREQUENCY, *Tiliqua nigrolutea* 407–414.
RESOURCE NICHE POLYMORPHISM, *Telmatobius* (Lake Titicaca Basin) 31–55.
RICTAL STRUCTURES, of some snakes 1–17.
SALAMANDER LARVAE, 5 spp. of *Ambystoma* 346–354.
SCAVENGING, by snakes 429–436.
SCENT MARKS, *Batrachoseps attenuatus* 165–170.
SELF-RECOGNITION, *Batrachoseps attenuatus* 165–170.
SEXUAL SELECTION, *Physalaemus pustulosus* 95–103.
SIZE-STRUCTURED POPULATIONS, *Plethodon cinereus* and *P. glutinosus* 141–155.
SKELETOCHRONOLOGY, *Desmognathus monticola, D. ocoee,* and *D. quadramaculatus* 181–193.
SPATIAL COGNITION, *Anolis cristatellus* 364–371.
SPECIES BOUNDARIES, *Telmatobius* (Lake Titicaca Basin) 31–55.
SPECIES' COEXISTENCE, *Gastrophryne carolinensis* and *Hyla squirella* tadpoles 104–118.
SPERMATOGENESIS, *Sceloporus bicanthalis* 415–421.
SURVIVAL, *Triturus alpestris* 131–138.
SURVIVORSHIP, *Trachemys scripta elegans* 67–74.
SYMPATRY, *Desmognathus folkertsi* and *D. quadramaculatus* 471–484.
SYSTEMATICS, *Colostethus ramosi* group 252–260; *Lineatriton* 194–204.
TADPOLE, *Atelopus guanujo* and *A. nanay* 229–252; *Gastrophryne carolinensis* and *Hyla squirella* (susceptibility to competition and predation) 104–118; *Hylodes amnicola* 462–471.
TATTOOING, *Triturus alpestris* 131–138.
TAXONOMY, *Atelopus guanujo* and *A. nanay* 229–252; *Bufo cristinae* 453–462; *Chilomeniscus* (sand snakes) 18–31; *Colostethus ramosi* group 252–260; *Xenobatrachus zweifeli* (Papua New Guinea) 56–66.
TEMPERATE-ZONE, *Tiliqua nigrolutea* 407–414.
TERRESTRIAL AMPHIBIANS, ambystomatid salamanders 422–429.
TERRITORIALITY, *Anolis sagrei* 382–393.
TERRITORIAL NEIGHBORHOOD, *Anolis sagrei* 382–393.
THERMAL PREFERENDA, *Pseudonaja textilis* 436–452.
THERMOREGULATION, *Pseudonaja textilis* 436–452.
UPGMA TREES, snake relationships 270–275.
VIVIPARITY, *Sceloporus bicanthalis* 415–421; *Tiliqua nigrolutea* 407–414.
WATER POTENTIAL, *Trachemys scripta elegans* 67–74.